

#### DESCRIPTION

Solvent based isolator.

#### PRINCIPLE CHARACTERISTICS

- Excellent isolation properties
- Easy application by brush
- Excellent adhesion properties
- Excellent durability
- Excellent weathering resistance

#### BASIC DATA AT 25°C

**Mass density**

0.88g /cm<sup>3</sup>

**Theoretical spreading rate**

12 m<sup>2</sup>/L

**Overcoating interval**

24 hours

**Flash point**

Above 40 °C

**Viscosity**

20 sec

**Hard dry**

24 hours

**Storage temperature**

10 - 35° C

**Shelf life**

At least 24 months

**Colors and gloss**

clear

**Full cure**

24 hours

## RECOMMENDED SUBSTRAT CONDITION AND TEMPERATURES

- Can be applied on the wall directly  
Horizontly and from down to up.
- Substrate temperature should be at least 10°C.
- Preferably relative humidity should not exceed 75%.

### **CLEAN-UP**

Clean hands and tools immediately with white spirit.  
Clean spills right away with a damp cloth.

## DIRECTION FOR USE

### **INSTRUCTION**

- Applying directly by using roll , brush , or spraying.

### **APPLICATION**

#### CLEANING SOLVENT

White spirit

## SAFETY AND HEALTH

In case of eye contact treat any foreign body by flushing with large amounts of water .  
For skin contact repeated exposure may cause skin dryness or cracking since , it contains cobalt, ketoxime may cause allergic reaction.  
For safety when applying it is advisable to wear eye protection glasses hand gloves and face mask.  
Keep out of the reach of children , do not use or store by hanging on a hook.  
Lead to toxic exposure that cause serious damage for brain especialy for children and pregnant women.

## SHIPPING

### **Packing**

12 L – 5L

### **Storage Condition**

Store away from extreme temperature.  
Containers should be kept closed during storage.

### **Limitations**

This is a solvent base paint and care should be taken to avoid inhalation of spray mist or vapor as well as the contact between the wet paint and exposed skin or eyes period.

TDS-BMA-A5-12

