

TECHNICAL DATASHEET

THINNER 901

Code: BMA-THI040

Color: Clear

PROPERTIES

BMA Thinner 901 is a recycled thinner that contains a mixture of aliphatic hydrocarbons used to clean pumps and tools before and after usage without causing any whitening effect.

RECOMMENDED USES

BMA Thinner 901 could be used for cleaning pumps and tools.

PERFORMANCE BENEFITS

- ✓ Good cleaning properties
- ✓ Moderate evaporate rate
- ✓ Good clarity

CHARACTERISTIC PHYSICO-CHEMICAL DATA

Tests	Norms	Results
Specific Gravity (g/cm³)	ASTM D1475	N.R.
Consistency (@25°C)		N.R.



TECHNICAL DATASHEET

Acetate (5-65%)		
Ethyl Acetate)	
Methyl Aceta	е	
Butyl Acetate)	
Hydrocarbon (10-20%)		
Xylene		
Alcohol (10-30%)		
Methanol		

AVAILABLE PACKAGING

Gallons, Liters, Pails and Drums.

SHELF LIFE

BMA Thinner 901 must be stored in closed and undamaged containers in a well-ventilated area where the humidity does not exceed 85%, the temperature varies between 5 and 35°C away from a heating or freezing source.

Under these conditions the shelf life of BMA Thinner 901 will be 3 years. After this period, the product is subjected to re-inspection. Proper handling is essential to maintain good quality.

HEALTH & SAFETY

Before using this product, please consult our Safety Data Sheet (SDS) for complete information on Hazards Identification, First-Aid and Fire-Fighting Measures, Accidental Release Measures, Handling and Storage, Exposure Control and Personal Protection, Stability and Reactivity, Toxicological Information, and Transport Information.

QUALITY ASSURANCE

BMA Commercial & Industrial s.a.l is a holder of the ISO 9001:2015 and ISO 45001:2018 certificates, which guarantees that all operations are conducted in compliance with International Standards.



TECHNICAL DATASHEET

TDS.197 - Edition #: 2

IMPORTANT: The statements, technical information and recommendations contained herein are believed to be accurate. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, BMA Commercial & Industrial s.a.l expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.